



**Langener Landstraße 273  
27578 Bremerhaven**

**Tele: 0471-9214849 Fax: 0471-9214976**

## Kompatibilitätsliste für Dimmbare Produkte

Artikel-Nr.	A Lumeo Domus T39.07 7-110VA  Niedervolt mit TR50VA 0-50VA	B Busch Jäger 6523U 2-100VA  Niedervolt mit TR50VA 0-50VA	C EGB T39.01 20-500VA  Niedervolt mit TR50VA 0-50VA	D LED-DI12F  Nur mit 12/24V Niedervolt, max. 8A	E DI12/2  Nur mit 12/24V Niedervolt, max. 2A		Anmerkung TR50VA: Im LED-Betrieb kann der Trafo bis höchstens 50% belastet werden. Maximale Länge der Zuleitung 2m!
LED3MG4L	ok	ok	ok	ok	ok		
LED3MZ4L	ok	ok	ok	ok	ok		
LED6MG4L	ok	ok	ok	ok	ok		
LED6MZ4L	ok	ok	ok	ok	ok		
LED6MG4L/3	ok	ok	ok	ok	ok		
LED6MG4LKW	ok	ok	ok	ok	ok		
LED8MG4L	ok	ok	ok	ok	ok		
LED8MG4L/2	ok	ok	ok	ok	ok		
LED9MG4L	ok	ok	ok	ok	ok		
LED9MG4Lrgb	x	x	x	x	x		
LED9MG4LKW	ok	ok	ok	ok	ok		
LED9MG4Lwvr	ok	ok	ok	ok	ok		
LED10MG4L	ok	ok	ok	ok	ok		
LED10MG4LKW	ok	ok	ok	ok	ok		
LED10MZ4L	ok	ok	ok	ok	ok		
LED10MG4Lo	ok	ok	ok	ok	ok		
LED12MG4L	ok	ok	ok	ok	ok		
LED15MG4L	ok	ok	ok	ok	ok		
LED15MG4LKW	ok	ok	ok	ok	ok		
LED15MG4L/2	ok	ok	ok	ok	ok		
LED16MG4Lwvr	x	x	x	ok	ok		
LED18MG4L	ok	ok	ok	ok	ok		
LED21MG4L	ok	ok	ok	ok	ok		
LED30MKaL	x	x	x	ok	ok		
LED2x3M24L	ok	ok	ok	ok	ok		
LED3x3M12L	ok	ok	ok	ok	ok		
LED2x2M24L	ok	ok	ok	ok	ok		

LED2x2M24LKW	ok	ok	ok	ok	ok		
LED12STG4L	ok	ok	ok	ok	ok		
LED12STBA9SL	x	x	x	ok	ok		
LED15STG4L	ok	ok	ok	ok	ok		
LED15STG4L/2	ok	ok	ok	ok	ok		
LED15STT10L	x	x	x	ok	ok		
LED15STG4LKW	ok	ok	ok	ok	ok		
LED18STG4L	ok	ok	ok	ok	ok		
LED18ST14L	ok	ok	ok	ok	ok		
LED18STG4L/2	ok	ok	ok	ok	ok		
LED18STG4LKW/2	ok	ok	ok	ok	ok		
LED18STBAYLo	x	x	x	ok	ok		
LED24STG6L	ok	ok	ok	ok	ok		
LED24ST27L	ok	ok	ok	ok	ok		
LED27STG4L	ok	ok	ok	ok	ok		
LED27STBA9SL	ok	ok	ok	ok	ok		
LED4So31L	x	x	x	ok	ok		
LED3So37Lo	x	x	x	ok	ok		
LED3So37LoKW	x	x	x	ok	ok		
LED3So42Lo	x	x	x	ok	ok		
LED6SO37L	x	x	x	ok	ok		
LED6SO37LKW	x	x	x	ok	ok		
LED6SO42L	x	x	x	ok	ok		
LED9SO42L	x	x	x	ok	ok		
LED9SO37L	x	x	x	ok	ok		
LED9SO42L/2	x	x	x	ok	ok		
LED9So42L/3	x	x	x	ok	ok		
LED30STBADL	x	x	x	ok	ok		
LED30STBADLKW	x	x	x	ok	ok		
LED30STBAYLKW	x	x	x	ok	ok		
LED30STBAYL	x	x	x	ok	ok		
LED6MBASL	x	x	x	ok	ok		
LED6MBAL	x	x	x	ok	ok		
LED6SU4L/3	ok	ok	ok	ok	ok		
LED6Ba9SL	x	x	x	ok	ok		
LED15G25BAL	x	x	x	ok	ok		
LED15G25BAL/2	x	x	x	ok	ok		
LED15G25BAYLKW	x	x	x	ok	ok		
LED15G25BALS KW	x	x	x	ok	ok		
LED16G25BASL	x	x	x	ok	ok		
LED16G25BADL	x	x	x	ok	ok		
LED16G2514L	ok	ok	ok	ok	ok		
LED16G25BAYL	x	x	x	ok	ok		
LED3Su4S				ok	ok		
LED6SU4L/2	ok	ok	ok	ok	ok		

LED10SU4L	ok	ok	ok	ok	ok		
LED10SU4LKW	ok	ok	ok	ok	ok		
LED12SU4L	ok	ok	ok	ok	ok		
LED1x1CU4S				ok	ok		
LED4S53SD			ok	ok	ok		
LED6S10LD			ok				
LED6S10SD			ok				
LED9S53LD	ok	ok	ok	ok	ok		
LED9S53LDNW	ok	ok	ok	ok	ok		
LED9S53LDKW	ok	ok	ok	ok	ok		
LED9S10LD	ok	ok	ok				
LED9S10LDNW	ok	ok	ok				
LED9S10LDKW	ok	ok	ok				
LED9S14LD	ok	ok	ok				
LED9S27LD	ok	ok	ok				
LED10S53L	ok	ok	ok	ok	ok		leichte Sprünge beim Dimmen
LED15S53L	ok	ok	ok	ok	ok		leichtes Brummen der Bauteile
LED16S53L <sub>wwr</sub>	x	x	x	ok	ok		
LED18S53L	ok	ok	ok	ok	ok		
LED21S53L	ok	ok	ok	ok	ok		
LED21S53L/2				ok	ok		
LED24S53L	ok	ok	ok	ok	ok		nur im unteren Bereich dimmbar
LED24S53LKW	ok	ok	ok	ok	ok		
LED3x1N53S	ok	ok	ok	ok	ok		nur im unteren Bereich dimmbar
LED1x5NB53M	ok	ok	ok	ok	ok		
LED5x1N10MD	ok	ok	ok				
LED5x1,5C10M			ok				
LED5x1,5C10LKW			ok				
LED5x1,5C10L			ok				
LED12x1N27MD			ok				
LED16x1N27MD			ok				
LED9x1A10S			ok				
LED1x5G4027Lfo			ok				
LED9G45Lm			ok				
LED8G6027LmD	ok	ok	ok				flackern im unteren Bereich
LED12G6027LMD	ok	ok	ok				
LED34G6027LmD			ok				
LED3x4G6027LmD			ok				
LED5x2G7027Lm			ok				
LED44K14Lk	ok	ok	ok				in 4 Stufen
LED44k14Lf	ok	ok	ok				in 4 Stufen
LED44K14lm	ok	ok	ok				in 4 Stufen
LED30LL				ok	ok		
LED60LL				ok	ok		
LED120LL				ok	ok		

LED36LL-EL				ok	ok		
LED72LL-EL				ok	ok		
LED72LLB				ok	ok		
LED45LL				ok	ok		Im Dimmbetrieb nicht schaltbar
LED45LLKW				ok	ok		Im Dimmbetrieb nicht schaltbar
LED123LL				ok	ok		Im Dimmbetrieb nicht schaltbar
LED123LLKW				ok	ok		Im Dimmbetrieb nicht schaltbar
LED213LL				ok	ok		Im Dimmbetrieb nicht schaltbar
LED213LLKW				ok	ok		Im Dimmbetrieb nicht schaltbar
LED72LL				ok	ok		
LED288LL				ok	ok		
LEDBand,25m/8mm				ok	ok		
LED60B5w35o				ok	ok		
LED60B5w35o68				ok	ok		
LED60B5w35NWo				ok	ok		
LED60B5w35gro				ok	ok		
LED60B5w35blo				ok	ok		
LED60B5w35geo				ok	ok		
LED60B5w35roo				ok	ok		
LED60B5b35o				ok	ok		
LED60B5br35o				ok	ok		
LED60B100br35o				ok	ok		
LED60B200br35o				ok	ok		
LED60B5br35o/2				ok	ok		
LED60B5br335				ok	ok		
LED30B5W35				ok	ok		
LED120B5br35o				ok	ok		
LED120B5br35NWo				ok	ok		
LED120B5br35KWo				ok	ok		
LED120WWKW-Kit				ok	ok		Dimmung über mitgelieferten Controller möglich
LED60B5w50o				ok	ok		
LED60B5w50o68				ok	ok		
LED60B5s50o				ok	ok		
LED60B5w50/24o				ok	ok		
LED60B5W50NWo				ok	ok		
LED60B5w50NW				ok	ok		
LED60B5w50NW/24o				ok	ok		
LED60B5w50KW				ok	ok		
LED60B5w50KW/24o				ok	ok		
LED30B5w50o				ok	ok		
LED30B5s50o				ok	ok		
LED60B5w50rgbo				ok	ok		
LED60B5w50rgb/24o				ok	ok		
LED30B5w50rgbo				ok	ok		
LED30RGBKit				ok	ok		Dimmung über mitgelieferten Controller möglich

LED60RGBKit				ok	ok		Dimmung über mitgelieferten Controller möglich
LED60RGBKit1m				ok	ok		Dimmung über mitgelieferten Controller möglich
LED60RGBKit2m				ok	ok		Dimmung über mitgelieferten Controller möglich
LED36ST9LD			ok				
LED9F22Lrgbo	x	x	x				Dimmung über mitgelieferten Controller möglich
LED30F22Lrgbo	x	x	x				Dimmung über mitgelieferten Controller möglich
LED60F22Lrgbo	x	x	x				Dimmung über mitgelieferten Controller möglich
LED95DLF22LRGB	x	x	x				Dimmung über mitgelieferten Controller möglich
LED175DLF22LD			ok				
LED120PALRGB				ok	ok		